

☐ ☐ ☐  
BROGDEN LANE  
ICF / MR HOME  
FOR HNN CSB



















BROGDEN LANE  
1CF / MR HOME  
FOR HNN CSB

COMMONWEALTH OF VIRGINIA  
C. CRAIG HUDSON  
No. 3768  
09-03-08  
ARCHITECT

902

1. ALL EXPOSED MATERIAL SHALL BE PLASTIC LAMINATE ON HARDWOOD PLYWOOD. ALL EXPOSED EDGES SHALL RECEIVE PLASTIC LAMINATE EDGING TO MATCH THE ADJACENT SURFACES. UNLESS OTHERWISE NOTED, SEMI-EXPOSED SURFACES SHALL BE PAINTED HARDWOOD PLYWOOD.
2. ALL CABINET'S SHALL BE FLUSH OVERLAY CONSTRUCTION CONFORMING TO ALL CUSTOM QUALITY STANDARDS, UNLESS OTHERWISE NOTED.
3. ALL COUNTER TOPS, GRABBARS AND SHELVES SHALL BE PLASTIC LAMINATE ON LUMBER CORE OR PLYWOOD UNLESS OTHERWISE NOTED. GRABBARS SHALL BE 6" TALL, UNLESS OTHERWISE NOTED. ELECTRICAL RECEPTACLES SHALL BE MOUNTED HORIZONTALLY IN THE 96" / 34" COORDINATE ELECTRICAL ROUGH IN ACCORDANCE '1'.
4. PROVIDE HARDWOOD PLYWOOD KICKS AT ALL CASEWORK. INSTALL BASE OVER THE KICK AS SHOWN IN THE FINISH SCHEDULE.
5. PROVIDE FINISHED ENDS AND BACKS WHERE CASEWORK IS EXPOSED.
6. CASEWORK HARDWARE
  - A. HINGES
    - EUROPEAN STYLE COMPONUND
    - HINGES SELF CLOSING
  - B. ADJUSTABLE SHELF PINNS
    - AS SHOWN ON THE CRAWLING
    - STAYLET 4486 ALUM WIRE
    - FILLITS
  - C. PULLS
    - AS SHOWN ON DETAILS
  - D. DRAWER SLIDES

CASEWORK ABBREVIATIONS		DETAILS
SPACER		
TV/C	TELEVISION CABINET	EL/A3.02
WC	WALL CABINET	B3/A3.02
30B	THREE DRAWER BASE	B3/A3.02
BC	BASE CABINET	A3/A3.02
TD	TRASH DRAWER	D3/A3.02
PD5	PULL DOWN SHELF	C4/A3.02
R	RANGE FRONT	E4/A3.02
VB	VAINTY BASE	DI/A3.02
M56	MEDICAL STORAGE SHELVES	D4/A3.02
MD	MEDICAL DRAWER CABINET	DI/A3.02
	COUNTER DETAIL	B4/A3.02



## CASEWORK ELEVATIONS

## CASEWORK ELEVATIONS